

CONTAINER Pedestals

Type list



Recommended retail prices
without assembly, without VAT

2031-1 - valid from 05|01|20

Contents	Page
Price categories and colour selection	3 - 4
Product description	5 - 6
Pedestal, drawers individually lockable 9 UH and 12 UH	7
Mobile pedestal 8 UH, 60.0 cm deep	8
Mobile pedestal 8 UH, 80.0 cm deep	9
Mobile pedestal 9 UH, 60.0 cm deep	10
Mobile pedestal 9 UH, 80.0 cm deep	11
Juxtaposed pedestal 12 UH, 60.0 / 80.0 cm deep	12
Juxtaposed pedestal 12 UH, cover top 96.6 / 100.0 cm deep	13
Optional accessories	14 - 16

Price category			
	Carcass	Front	Top
Price category 01 [PG 01]:	Melamine	Melamine	Melamine
Price category 02 [PG 02]:	Melamine	Veneer 01 + 02	
Price category 03 [PG 03]:	Veneer 01	Veneer 01	
Price category 04 [PG 04]:	Veneer 02	Veneer 02	

Colour selection

		Carcass	Drawer fronts	Top 16 mm** 8 + 9 UH	Top 25 mm** 12 UH	Top 19mm**
Melamine finishes						
Apple Merano Decor	AD	■	■	■	■	■
Beech Tirol Decor	BH	■	■	■	■	■
Beech Decor	BD	■	■	■	■	■
Cherry Romana Decor	KR	■	■	■	■	■
Franz. Nussbaum Decor	ND	■	■	■	■	■
Oak Odeon Decor	EO	■	■	■	■	■
Oak Milano Decor	ME	■	■	■	■	■
Lakeland Acacia Decor	LL	■	■	■	■	■
Olive Sevilla Decor	OD	■	■	■	■	■
Titanium white	TW	■	■	■	■	■
Platinum	PL	■	■	■	■	■
Silver Decor	AF	■	■	■	■	■
Anthracite	AZ	■	■	■	■	■
Dark anthracite	DA	■	■	■	■	■
Revive Decor	RD	■	■	■	■	■
Smokey blue	BQ	■	■	■	■	■
Volcano black	MS	■	■	■	■	■
Beige	BE	■	■	■	■	■
Beige-grey	GD	■	■	■	■	■
Cuando	CD	■	■	■	■	■

Top decor A		Carcass	Drawer fronts	Top 16 mm** 8 + 9 UH	Top 25 mm** 12 UH	Top 19mm**
Chromix anthracite	YA	■	■	■	■	■
Halifax Oak	H4	■	■	■	■	■
Denver Oak	YB	■	■	■	■	■

Top decor B		Carcass	Drawer fronts	Top 16 mm** 8 + 9 UH	Top 25 mm** 12 UH	Top 19mm**
MDF matt black*	YC	■	■	■	■	■

* for price determination please refer to p.Con data

Veneer 01		Carcass	Drawer fronts	Top 16 mm** 8 + 9 UH	Top 25 mm** 12 UH	Top 19mm**
Beech Nature	BN	■	■	■	■	■
Beech Nature Multiplex	MB	■	■	■	■	■
Ash stained black-grey	EX	■	■	■	■	■

Veneer 02		Carcass	Drawer fronts	Top 16 mm** 8 + 9 UH	Top 25 mm** 12 UH	Top 19mm**
American Cherry	KB	■	■	■	■	■
American Walnut	NU	■	■	■	■	■
Wenge	WG	■	■	■	■	■
Maple Nature	AN	■	■	■	■	■
Oak Nature	PN	■	■	■	■	■

Colour selection

		Bridge handle	Bar handle	Sichelgriff	Bow handle	U-handle	Square handle	Handle strip	Recessed grip
Lacquered									
Platinum	PL	■		■	■	■		■	■
Black-grey	SG	■		■	■	■		■	
Aluminium white	W2		■						
Chrome matte	CM	■		■	■	■	■		
Dark anthracite	DA							■	■
Volcano black	MS							■	■
Silver Decor	AF							■	
Titanium white	TW							■	■
Anthracite	AZ							■	■



Bar handle ST



Sickle shaped handle SI



Bow handle BO



U-handle BU



Square handle QG



Bridge handle BR

RAL und NCS numbers for lacquered and powdercoated surfaces

		RAL
Platinum	PL	7035
Black-grey	SG	7021
Aluminium white	W2	9006

Description

CONTAINER offer extensive storage possibilities and are compatible with every other WINI range. This makes it easy to achieve an aesthetic furnishing concept.

For a greater flexibility the locking cylinders can be changed subsequently. This allows for changes in the locking system without having to remove or modify the lock itself.

CONTAINER comply with the TÜV/GS-Zeichen and all current German Standards. The Safety Guidelines for workplaces, issued by the Employer's Liability Insurance Association, are met.

Parts subject to regular wear and tear will be available for a minimum of 5 years.

Material, surface and construction

3-layer chipboards according to DIN 68765 standard, emission certified E1, directly covered with melamine on both sides, resp. veneered on both sides, are used.

For the sides of the carcass 1.9 cm thick material is used. Back panel and base of the carcass as well as the drawer fronts are made of 1.6 cm thick chipboards.

The tops of the mobile pedestals are 1.6 cm thick, the tops of the juxtaposed pedestals are available in 1.9 cm or 2.5 cm thickness. All edges are sealed with edgebanding, depending on the material with ABS edgebanding or veneer edgebanding.

The back panels are grooved and glued. The pedestals can be used left and right, the inside of the carcass has a repetitive drill hole pattern (5 cm grid) for mounting the slides. This enables a quick and easy refitting.

The mobile pedestals are delivered with 4 castors (h = 4.8 cm), the front castors are lockable in position.

Features

As a standard each pedestal has a pencil tray. The pencil tray is not included in the count of the height units.

System drawers

The drawer body, made of steel, has adequate torsional strength, a high surface load capacity and a self-closing mechanism.

The drawer bodies have no sharp edges and can be kept clean easily. Keyhole bores in the front of the drawer body allow for easy adjustment and change of the drawer fronts.

Drawer slides

The drawer slides comply with DIN 68858 and are available in two versions:

- Part extension
Opening to a depth of 80 % with a maximum load capacity of the slides of 25 kg
- Full extension
Opening to a depth of 105 % with a maximum load capacity of the slides of 45 kg

Both models have a self-closing mechanism and a damping system.

Central locking

Pedestals with individual drawer locks are available, all other models are delivered with a central locking system, lock number 3000.

Safety interlock system / Counterweight

All pedestals have a safety interlock system which allows only one drawer to be opened at a time. If necessary counterweights are added to ensure stability.

Organsiation

Multiple drawer accessories for the organisation of the drawers are available, e.g.:

cross divider
vertical divider
stamps holder
material trays
file card boxes
filing inlay
etc.

Each drawer with a front of 6 UH has a hanging filing frame.

Environmental compatibility

According to the demands of the Dangerous Substances Decree (§ 9 Abs.3.4) only chipboards of the emission class E1 are used.

Any remaining emissions of formaldehyde are further reduced by sealing all edges/cutting edges, even if they are not visible, with edgebands. Depending on the material ABS edgeband or veneer edgeband is used. This measure ensures that the emission of formaldehyde is reduced to an average amount of 0.02 ppm, verified under standardised test conditions.

The formaldehyde levels of the office furniture are significantly lower than the requirements of The Umweltbundesamt (0.05 ppm).

No foams or CFC containing materials are used.




Pedestal, drawer individually lockable

CONTAINER

W 43.4 cm e.g. suitable for call centres



With gliders

R = roll tracks with part extension 80 %, capacity 25.0 kg

	3xR3	3xR3	4xR3
			
Depth	60,0 cm	80,0 cm	80,0 cm
Height	55,8 cm	55,8 cm	72,0 cm
	CO GK90910CC	CO GL90910CC	CO SL21210CC
PG 01			



W 43.4 cm e.g. suitable for call centres

With castors

	3xR3	3xR3
		
Depth	60,0 cm	80,0 cm
Height	58,4 cm	58,4 cm
	CO RK90910CC	CO RL90910CC
PG 01		

W 43.4 cm e.g. suitable for call centres

hidden castors

	3xR3	3xR3
		
Depth	60,0 cm	80,0 cm
Height	55,0 cm	55,0 cm
	CO RK90911CC	CO RL90911CC
PG 01		

Pedestal 8 UH, 60 cm deep

CONTAINER

W 43.4 cm **D 58.6 cm** **H 50.8 cm**

With gliders

R2/2xR3 R4/2xR2 2xR2/T4 4xR2 R2/T6

R = roll tracks With
part extension 80 %, capacity 25.0 kg
T = telescope track With
full extension 105 %, capacity 45.0 kg



CO GK80810



CO GK80820



CO GK80830



CO GK80850



CO GK80860

PG 01

PG 02

PG 03

PG 04



CO GK80810GS



CO GK80820GS



CO GK80830GS



CO GK80850GS



CO GK80860GS

Recessed grip

PG 01

PG 02

PG 03

PG 04

W 43.4 cm **D 58.6 cm** **H 53.4 cm**

With castors

R2/2xR3 R4/2xR2 2xR2/T4 4xR2 R2/T6



CO RK80810



CO RK80820



CO RK80830



CO RK80850



CO RK80860

PG 01

PG 02

PG 03

PG 04



CO RK80810GS



CO RK80820GS



CO RK80830GS



CO RK80850GS



CO RK80860GS

Recessed grip

PG 01

PG 02

PG 03

PG 04

W 43.4 cm **D 58.6 cm** **H 50.0 cm**

Hidden castors

R2/2xR3 R4/2xR2 2xR2/T4 4xR2 R2/T6



CO RK80811



CO RK80821



CO RK80831



CO RK80851



CO RK80861

PG 01

PG 02

PG 03

PG 04



CO RK80811GS



CO RK80821GS



CO RK80831GS



CO RK80851GS



CO RK80861GS

Recessed grip

PG 01

PG 02

PG 03

PG 04

Pedestal 9 UH, 80 cm deep

CONTAINER

W 43.4 cm D 78.6 cm H 55.8 cm


With gliders

R = roll tracks with part extension 80 %, capacity 25.0 kg
T = telescope track with full extension 105 %, capacity 45.0 kg

3xR3 R4/R3/R2 R2/R3/T4 3xR2/R3 R3/T6



- PG 01
- PG 02
- PG 03
- PG 04



- PG 01
- PG 02
- PG 03
- PG 04

W 43.4 cm D 78.6 cm H 58.4 cm

With castors

3xR3 R4/R3/R2 R2/R3/T4 3xR2/R3 R3/T6



- PG 01
- PG 02
- PG 03
- PG 04



- PG 01
- PG 02
- PG 03
- PG 04


W 43.4 cm D 78.6 cm H 55.0 cm

Hidden castors

3xR3 R4/R3/R2 R2/R3/T4 3xR2/R3 R3/T6



- PG 01
- PG 02
- PG 03
- PG 04



- PG 01
- PG 02
- PG 03
- PG 04

Juxtaposed pedestal 12 UH

CONTAINER

W 43.6 cm **D 60 cm** **H 72 cm**






With gliders

R = roll tracks with
part extension 80 %, capacity 25.0 kg
T = telescope track with
full extension 105 %, capacity 45.0 kg

4xR3	3xT4	2xR3/T6	R2/T4/T6	2xT6
				
CO SK21210	CO SK21230	CO SK21240	CO SK21250	CO SK21260

- PG 01 _____
- PG 02 _____
- PG 03 _____
- PG 04 _____






Recessed grip

				
CO SK21210GS	CO SK21230GS	CO SK21240GS	CO SK21250GS	CO SK21260GS

- PG 01 _____
- PG 02 _____
- PG 03 _____
- PG 04 _____






W 43.6 cm **D 80 cm** **H 72 cm**

With gliders

4xR3	3xT4	2xR3/T6	R2/T4/T6	2xT6
				
CO SL21210	CO SL21230	CO SL21240	CO SL21250	CO SL21260

- PG 01 _____
- PG 02 _____
- PG 03 _____
- PG 04 _____






Recessed grip

				
CO SL21210GS	CO SL21230GS	CO SL21240GS	CO SL21250GS	CO SL21260GS

- PG 01 _____
- PG 02 _____
- PG 03 _____
- PG 04 _____






W 43.6 cm **D 90 cm** **H 72 cm**

With gliders

4xR3	3xT4	2xR3/T6	R2/T4/T6	2xT6
				
CO SL21213	CO SL21233	CO SL21243	CO SL21253	CO SL21263

- PG 01 _____
- PG 02 _____
- PG 03 _____
- PG 04 _____

Recessed grip

				
CO SL21213GS	CO SL21233GS	CO SL21243GS	CO SL21253GS	CO SL21263GS

- PG 01 _____
- PG 02 _____
- PG 03 _____
- PG 04 _____

Juxtaposed pedestal 12 UH

CONTAINER

W 43.6 cm cover top: 96.6 cm H 72 cm

With gliders, carcass depth 80.0 cm

	4xR3	3xT4	2xR3/T6	R2/T4/T6	2xT6
R = roll tracks with part extension 80 %, capacity 25.0 kg T = telescope track with full extension 105 %, capacity 45.0 kg					
	CO SL21211	CO SL21231	CO SL21241	CO SL21251	CO SL21261

- PG 01
- PG 02
- PG 03
- PG 04

Recessed grip	CO SL21211GS	CO SL21231GS	CO SL21241GS	CO SL21251GS	CO SL21261GS

- PG 01
- PG 02
- PG 03
- PG 04

W 43.6 cm cover top: 100.0 cm H 72 cm

With gliders, carcass depth 80.0 cm

	4xR3	3xT4	2xR3/T6	R2/T4/T6	2xT6
	CO SL21212	CO SL21232	CO SL21242	CO SL21252	CO SL21262

- PG 01
- PG 02
- PG 03
- PG 04

Recessed grip	CO SL21212GS	CO SL21232GS	CO SL21242GS	CO SL21252GS	CO SL21262GS

- PG 01
- PG 02
- PG 03
- PG 04

Optional accessories

support bracket
for lateral
connection to desk

Height increase
by 2 cm
(4 adaptors)

	CO ZC-0030	CO ZC-0040
PG 01		

Optional accessories

Min. UH required


2
Cross partition
double - walled



OY ZS-5010

PG 01

2
Divider lengthwise
DIN A5



OY ZS-5020

2
Divider lengthwise
DIN A6



OY ZS-5030

Min. UH required

3
Document tray



OY ZS-1040

PG 01

Divisions for
Document tray



OY ZS-1050

2
Material tray
with division



OY ZS-1060

Min. UH required

2
Stamp holder
for 9 stamps



OY ZS-5070

PG 01

6
Filing frame 1 1/2x DIA A4
for short drawers



CO ZS-5080

6
Filing frame 2 x DIA A4
for long drawers



CO ZS-5090

Min. UH required

2
Document tray
4x DIN A4
for short drawers



OY ZS-1100

PG 01

3
Document tray
6x DIN A4
for short drawers



OY ZS-1110

4
Document tray
11x DIN A4
for short drawers



OY ZS-1120

Min. UH required

2
Document tray
6x DIN A4
for long drawers



OY ZS-1101


PG 01

3
Document tray
10x DIN A4
for long drawers



OY ZS-1111

4
Document tray
14x DIN A4
for long drawers



OY ZS-1121

Complete set

For long drawers

Min. UH required

2
6 dividers



OY ZS-6010

PG 01

2
6 dividers
1 material tray



OY ZS-6020

2
1 stamp holder
2 separations
6 dividers, DIN A5



OY ZS-6030

Min. UH required

3
5 paper trays
4 dividers
1 cover



OY ZS-2040

PG 01

4
10 paper trays
8 dividers
1 cover



OY ZS-2050

4
13 paper trays
4 dividers
1 cover



OY ZS-2060

Complete set

For short drawers

Min. UH required

4
8 paper trays
6 dividers
1 cover



OY ZS-2510

PG 01

2
4 separations crosswise



OY ZS-6520

2
1 stamp holder
2 separations
3 separations DIN A5



OY ZS-6530

Min. UH required

2
2 separations
1 material tray
3 separations DIN A5



OY ZS-6540

PG 01

Index card box

Min. UH required

6
DIN A4 crosswise
w. 2 pendular tops



OY KK-0010

PG 01

4
DIN A5 crosswise
w. 2 pendular tops



OY KK-0020

3
DIN A6 crosswise
w. 2 pendular tops



OY KK-0030

Pendular top, loose
for index cabinets

OY ZKK0010

PG 01

OY ZKK0020

OY ZKK0030

Document tray

Cabinet organisation

5 rows DIN A4
Black

25.0x33.0x32,2 cm



OY FB-1010

7 rows DIN A4
Black

25.0x33.0x32,2 cm



OY FB-1020

PG 01

5 rows DIN A4
Black SZ

27,5x33.0x32.0 cm



OY FB-6010

PG 01

Cable bridge


placed on or
glued to the floor
...no trip
hazard anymore!

width

200.0 cm

100.0 cm

50.0 cm



OY RW-1020

OY RW-1030

OY RW-1040

PG 01

WINI Büromöbel
Georg Schmidt GmbH & Co. KG

Auhagenstraße 79
31863 Coppenbrügge, OT Marienau
Germany

Telefon: +49(0)5156/979-0
Telefax: +49(0)5156/979-100

E-Mail: info@wini.de
Internet: www.wini.de