

WINEA PLUS

Desk system

Type list



Recommended retail prices
without assembly, without VAT

2110-1 - valid from 06 | 01 | 21

Contents	Page
Price categories and colour selection	3 - 5
Product description	6
Product overview	7
Ordering examples	8
Panel leg table, height 110 cm	9 - 11
Panel leg table, height 94 cm	12 - 17
Panel leg table, height 74 cm	18 - 20
Bench	21
Optional accessories	22
Power and data management according to VDE	23

Terms and Conditions of WINI Büromöbel:
Print or download at www.wini.de/agb/

Price categories

	Table legs		Fabric
Price category 01 [PG 01]:	Melamine	+	Lucia CS / Carlow
Price category 02 [PG 02]:	Melamine	+	Blazer Lite / Synergy 170 / Remix Screen
Price category 03 [PG 03]:	Veneer	+	Lucia CS / Carlow
Price category 04 [PG 04]:	Veneer	+	Blazer Lite / Synergy 170 / Remix Screen

Price categories for add-on module

Price category 01 [PG 01]:	Melamine
Price category 02 [PG 02]:	Veneer

Price categories for fabrics

Price category 01 [PG 01]:	Lucia CS / Carlow
Price category 02 [PG 02]:	Blazer Lite / Synergy 170 / Remix Screen

Colour selection

Table tops and edges

Melamine finishes	Colour code		Table tops 1.3 cm	
	Table tops	Edge		
Apple Merano Decor	AD	AD	■	
Beech Tirol Decor	BH	BH	■	
Beech Decor	BD	BD	■	
Lakeland Acacia Decor	LL	LL	■	
Cherry Romana Decor	KR	KR	■	
French Walnut Decor	ND	ND	■	
Oak Milano Decor	ME	ME	■	
Oak Natural Finish	NE	NE	■	
Limed Oak Finish	EJ	EJ	■	
Moor Oak Finish	EE	EE	■	
Olive Sevilla Decor	OD	OD	■	
Titanium white	TW	TW	■	
Platinum	PL	PL	■	
Anthracite	AZ	AZ	■	
Dark anthracite	DA	DA	■	
Volcano black	MS	MS	■	
Revive Decor*	RD	RD	■	*is a relief surface
Beige	BE	BE	■	
Beige-grey	GD	GD	■	
Cuando	CD	CD	■	
Porcelain white	P7	P7	■	■
Smokey blue*	BQ	BQ	■	*is a relief surface
Design Veneer				
Wenge	WG	WG	■	
Macassar	MK	MK	■	
Veneer				
Beech Natur	BN	BN	■	
Beech with multiplex edge	BN	MB	■	
Ash black-grey	EX	EX	■	
Veneer				
American Cherry	KB	KB	■	
American Walnut	NU	NU	■	
Maple	AN	AN	■	
Swiss Pear	SC	SC	■	
Top decor A*				
Terrazzo Decor	TZ	TZ	■	
Terracotta Decor	TR	TR	■	
Chromix anthracite	YA	YA	■	■
Halifax Oak*	H4	H4	■	*is a relief surface
Denver Oak	YB	YB	■	■

*For pricing please refer to p.Con data

Colour selection

Fabric group Lucia CS [PG01]

Havana	LC009
Costa	LC026
Panama	LC079
Blizzard	LC081
Slip	LC094
Rum	LC173
Negril	LC175
Revive	LC182
Kota	LC415
Tenom	LC419
Depok	LC421
Medan	LC422
Makili	LC424
Roques	LC433
Varadero	LC434

Fabric group Carlow [PG01]

Tallow	CLW01
Ballina	CLW02
Roundwood	CLW03
Quin	CLW04
Callan	CLW05
Navan	CLW06
Dublin	CLW07
Redcross	CLW08
Convoy	CLW09
Ardee	
Wicklow	CLW11
Malin	CLW12
Sligo	CLW13
Bree	CLW14
Cavan	CLW15
Mayo	CLW16
Balloo	CLW17
Carrick	CLW18
Ardmore	CLW19
Ennis	CLW20
Emly	CLW21
Avoca	CLW22
Parteen	CLW23
Glenamoy	CLW24
Clifden	CLW25

Colour selection

Fabric group Synergy 170 [PG02]

Fabric group Synergy 170 [PG02]		Remix Screen [PG02]
Serendipity	LDP08	RSC128
Loop	LDP18	RSC138
Level	LDP20	RSC148
Compound	LDP25	RSC158
Affix	LDP32	RSC188
Chemistry	LDP35	RSC228
Summon	LDP45	RSC288
Gather	LDP46	RSC328
Append	LDP49	RSC358
Pact	LDP53	RSC408
Regard	LDP54	RSC528
Support	LDP55	RSC608
Kinship	LDP56	RSC688
Group	LDP59	RSC818
Alike	LDP62	RSC908
Guild	LDP63	RSC998
Fellowship	LDP66	
Collaborate	LDP68	
Sync	LDP69	
Work	LDP73	
Combo	LDP77	
Mutual	LDP84	
Share	LDP85	
Process	LDP88	

Fabric group Blazer Lite [PG02]

Retreat	LTH39
Pillow	LTH43
Bliss	LTH48
True	LTH61
Aspire	LTH52
Happy	LTH55
Graceful	LTH51
Harmony	LTH63
Praise	LTH23
Balance	LTH41
Daydream	LTH46
Angel	LTH49
Wish	LTH67
Cuddle	LTH62
Devoted	LTH58
Freedom	LTH69
Love	LTH47
Tender	LTH53
Hope	LTH50
Verity	LTH57
Buddha	LTH56
Worship	LTH59
Shelter	LTH60
Dainty	LTH64
Pastel	LTH65
Pamper	LTH66
Faith	LTH68
Haven	LTH40
Hush	LTH42
Mood	LTH44
Solace	LTH70

General information

WINEA PLUS is a range with panel leg tables and benches, suitable for meeting zones, staff facilities and lounge and waiting areas. With just a few components nearly unlimited combinations can be assembled. WINEA PLUS can be used as a solitary furniture or in combination with WINI cabinet ranges. The panel leg construction with its fabric covering offers many possibilities for interior design. Its components can be disassembled and modified subsequently.

Under the terms of our Product Continuity policy, all parts subject to fair wear and tear must continue to be available for a period of 10 years from the time when a product is officially withdrawn from our range/portfolio. Excluded from this are fabrics, finishes and any components that require specific casts or tools to produce. Replacement parts do not have to be 100% identical provided that product functionality is not compromised.

Construction

WINEA PLUS consists of two panels and a table top. Both components are designed identically. The supporting element is a steel beam which is screwed together with 2.5 cm thick chipboard. This construction is reinforced on the outside with a 1.3 cm chipboard. The inside is covered with fabric. The fabric covering is removable. The panel legs are supplied with levelling screws to adjust to floor unevenness (adjustment range 1 cm). Panel legs and table top are firmly screwed together. The steel beam can be used as a cable channel. As an option the panel leg table can be upgraded with an add-on module. The add-on is supplied with a storage compartment and can be upgraded with units for power and data access.

All used materials can be separated correctly.

Material and surface

WINEA PLUS can be supplied with melamine coated or veneered tops..

3-layer chipboards (2.5 cm/ 1.6 cm/ 1.3 cm thick) according to DIN 68765 standard, emission certified E1, directly covered with melamine on both sides, resp. veneered on both sides are used.

Depending on the variant, all edges are rounded with a 3mm strong ABS-edge banding or with a 3mm strong veneer edge, rounded with a radius of 2mm. The top surface is lightfast, mostly blend-free and extremely scratch-resistant

Fabric covering

The fabric is fastened to the carrier plate with a welt seam.

Fabric Lucia CS

Composition: 100% polyester
 Weight: 265 g/m² +/- 5 %
 Fire safety: DIN 4102 B1, BS 476 part 7 Class 1, BS 476 part 7 Class 0,
 UNI 8456 & UNI 9174 Class 1, NF - P - 92 - 507 M1

Fabric Blazer Lite

Composition: 100% Pure new wool. Heavy metal-free dyes.
 Ecology: Renewable and compostable
 Weight: 360 g/m² +/- 5 %
 Fire safety: BS 476 part 7 Class 1, BS 476 part 6 Class 0

Fabric Synergy170

Composition: 95% Pure wool. 5% Polyamide
 Ecology: Renewable and compostable
 Weight: 400 g/m² +/- 5 %
 Fire safety: EN 1021-1 und 2, EN 13501-1, BS 7176 Low Hazard


Fabric Carlow

Composition: 100% Polypropylen
 Weight: 214 g/m² +/- 5 %
 Fire safety: EN 1021-1 Zigarettestest
 EN 13501-1 Adhered Class B, s1, d0
 EN 13501-1 Un-adhered Class C, s1, d0


Delivery

Delivered part assembled, divided in panel legs, table top, fabric covered and add-on module (optional).


Table depths



45.0 cm




60.0 cm




80.0 cm


Table widths




120.0 cm




140.0 cm




160.0 cm




180.0 cm



200.0 cm




220.0 cm



240.0 cm


Table heights 110.0 cm



Solitaire




Wall connection



Cabinet based

Table height 94.0 cm



Solitaire



Wall connection



optional with add-on module
for total height of 110.0 cm

Table height 74.0 cm




Solitaire



Wall connection

Bench, height 50.0 cm


Depth 45.0 cm only




Solitaire

Solitary panel leg table with add-on module 180.0 x 80.0 cm x 110.0 cm


Consisting of:




+



+



+



Panel leg table, solitaire

WPBTS180080S02

Panel leg table 180.0 x 80.0 x 94.0 cm

PG01

Add-on module

WPAU180080S06

Add-on module 180.0 x 80.0 x 16.0 cm

Bore hole Type D

PG01

Foot rail

WPR1800

Foot rail for width 180.0 cm

and depth 80.0 cm

PG01

2x Netbox Point


OY POINTT03

PG01

Total sum

Panel leg table for wall connection 200.0 x 80.0 cm x 74.0 cm and 2 x bench

Consisting of:



+



+



Panel leg table for wall connection

WPBTW200080S01

Panel leg table 200.0 x 80.0 x 74.0 cm

PG01

2x bench and cushion

WPBTS200045S05

2 x bench 200.0 x 45.0 x 50.0 cm

WPSK200045

2 x bench 200.0 x 45.0 x 5.0 cm (PG01)

PG01

PG01

OY ZTI5405

Netbox MOVE at right side of table

PG01



Total sum

Panel leg table


WINEA PLUS

Top thickness 1.3 cm


Table height: **110 cm**
 Top depth: **45 cm**




Width 120,0 cm	WPBTS120045S04	WPBTW120045S04	WPBTK120045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		




Width 140,0 cm	WPBTS140045S04	WPBTW140045S04	WPBTK140045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		




Width 160,0 cm	WPBTS160045S04	WPBTW160045S04	WPBTK160045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		




Width 180,0 cm	WPBTS180045S04	WPBTW180045S04	WPBTK180045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		



Width 200,0 cm	WPBTS200045S04	WPBTW200045S04	WPBTK200045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		



Width 220,0 cm	WPBTS220045S04	WPBTW220045S04	WPBTK220045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		



Width 240,0 cm	WPBTS240045S04	WPBTW240045S04	WPBTK240045S04
	PG 01		
	PG 02		
	PG 03		
	PG 04		

¹ For cabinets with 13 mm back panel only



² For 2 FH cabinets only

Panel leg table


WINEA PLUS

Top thickness 1.3 cm


Table height: **110 cm**
 Top depth: **60 cm**




Width **120,0 cm** **WPBTS120060S04** **WPBTW120060S04** **WPBTK120060S04**
 PG 01
 PG 02
 PG 03
 PG 04




Width **140,0 cm** **WPBTS140060S04** **WPBTW140060S04** **WPBTK140060S04**
 PG 01
 PG 02
 PG 03
 PG 04




Width **160,0 cm** **WPBTS160060S04** **WPBTW160060S04** **WPBTK160060S04**
 PG 01
 PG 02
 PG 03
 PG 04




Width **180,0 cm** **WPBTS180060S04** **WPBTW180060S04** **WPBTK180060S04**
 PG 01
 PG 02
 PG 03
 PG 04



Width **200,0 cm** **WPBTS200060S04** **WPBTW200060S04** **WPBTK200060S04**
 PG 01
 PG 02
 PG 03
 PG 04



Width **220,0 cm** **WPBTS220060S04** **WPBTW220060S04** **WPBTK220060S04**
 PG 01
 PG 02
 PG 03
 PG 04



Width **240,0 cm** **WPBTS240060S04** **WPBTW240060S04** **WPBTK240060S04**
 PG 01
 PG 02
 PG 03
 PG 04

¹ For cabinets with 13 mm back panel only

² For 2 FH cabinets only

Panel leg table

WINEA PLUS

Top thickness 1.3 cm







Table height: **110 cm**
 Top depth: **80 cm**




Width **120,0 cm** **WPBTS120080S04** **WPBTW120080S04** **WPBTK120080S04**
 PG 01
 PG 02
 PG 03
 PG 04




Width **140,0 cm** **WPBTS140080S04** **WPBTW140080S04** **WPBTK140080S04**
 PG 01
 PG 02
 PG 03
 PG 04




Width **160,0 cm** **WPBTS160080S04** **WPBTW160080S04** **WPBTK160080S04**
 PG 01
 PG 02
 PG 03
 PG 04




Width **180,0 cm** **WPBTS180080S04** **WPBTW180080S04** **WPBTK180080S04**
 PG 01
 PG 02
 PG 03
 PG 04



Width **200,0 cm** **WPBTS200080S04** **WPBTW200080S04** **WPBTK200080S04**
 PG 01
 PG 02
 PG 03
 PG 04



Width **220,0 cm** **WPBTS220080S04** **WPBTW220080S04** **WPBTK220080S04**
 PG 01
 PG 02
 PG 03
 PG 04



Width **240,0 cm** **WPBTS240080S04** **WPBTW240080S04** **WPBTK240080S04**
 PG 01
 PG 02
 PG 03
 PG 04

¹ For cabinets with 13 mm back panel only

² For 2 FH cabinets only

Panel leg table

WINEA PLUS

Top thickness 1.3 cm

Solitaire

Wall connection¹






Table height: **94 cm**
 Top depth: **45 cm**



Width 120,0 cm

WPBTS120045S02 **WPBTW120045S02**


PG 01
PG 02
PG 03
PG 04



Width 140,0 cm

WPBTS140045S02 **WPBTW140045S02**


PG 01
PG 02
PG 03
PG 04



Width 160,0 cm

WPBTS160045S02 **WPBTW160045S02**


PG 01
PG 02
PG 03
PG 04



Width 180,0 cm

WPBTS180045S02 **WPBTW180045S02**


PG 01
PG 02
PG 03
PG 04



Width 200,0 cm

WPBTS200045S02 **WPBTW200045S02**


PG 01
PG 02
PG 03
PG 04



Width 220,0 cm

WPBTS220045S02 **WPBTW220045S02**

PG 01
PG 02
PG 03
PG 04



Width 240,0 cm

WPBTS240045S02 **WPBTW240045S02**

PG 01
PG 02
PG 03
PG 04

¹ For cabinets with 13 mm back panel only

Panel leg table

WINEA PLUS

Add-on module for solitaire with desk height 94 cm for with wall connection - H:16 cm



Depth: 45 cm

Height: 16 cm

Width 120,0 cm WPAU120045S06

PG 01

PG 02

Width 140,0 cm WPAU140045S06

PG 01

PG 02

Width 160,0 cm WPAU160045S06

PG 01

PG 02

Width 180,0 cm WPAU180045S06

PG 01

PG 02

Width 200,0 cm WPAU200045S06

PG 01

PG 02

Width 220,0 cm WPAU220045S06

PG 01


PG 02

Width 240,0 cm WPAU240045S06

PG 01


PG 02

Bore hole for netbox d = 8 cm




Position: Compartment centre
1x bore hole each side for Netbox Point

Type A




Position: Left/right side of compartment
2x bore holes each side for Netbox Point

Type B



Position: Centred on module top
1x bore hole for Netbox Point

Type C



Position: Left/right side on module top
2x bore holes for Netbox Point

Type D



Position: Left/right side on module top
2x bore holes for Netbox Move



Type E

Panel leg table

WINEA PLUS

Top thickness 1.3 cm


Table height: **94 cm**
 Top depth: **60 cm**



Width 120,0 cm

WPBTS120060S02 **WPBTW120060S02**


PG 01
PG 02
PG 03
PG 04



Width 140,0 cm

WPBTS140060S02 **WPBTW140060S02**


PG 01
PG 02
PG 03
PG 04



Width 160,0 cm

WPBTS160060S02 **WPBTW160060S02**


PG 01
PG 02
PG 03
PG 04



Width 180,0 cm

WPBTS180060S02 **WPBTW180060S02**


PG 01
PG 02
PG 03
PG 04



Width 200,0 cm

WPBTS200060S02 **WPBTW200060S02**


PG 01
PG 02
PG 03
PG 04



Width 220,0 cm

WPBTS220060S02 **WPBTW220060S02**

PG 01
PG 02
PG 03
PG 04



Width 240,0 cm

WPBTS240060S02 **WPBTW240060S02**

PG 01
PG 02
PG 03
PG 04

¹ For cabinets with 13 mm back panel only

Panel leg table

WINEA PLUS

Add-on module for solitaire with desk height 94 cm for with wall connection - H:16 cm




Depth: 60 cm

Height: 16 cm


Width 120,0 cm	WPAU120060S06
PG 01	
PG 02	
Width 140,0 cm	WPAU140060S06
PG 01	
PG 02	
Width 160,0 cm	WPAU160060S06
PG 01	
PG 02	
Width 180,0 cm	WPAU180060S06
PG 01	
PG 02	
Width 200,0 cm	WPAU200060S06
PG 01	
PG 02	
Width 220,0 cm	WPAU220060S06
PG 01	
PG 02	
Width 240,0 cm	WPAU240060S06
PG 01	
PG 02	

Bore hole for netbox d = 8 cm




Position: Compartment centre
1x bore hole each side for Netbox Point

Type A




Position: Left/right side of compartment
2x bore holes each side for Netbox Point

Type B




Position: Centred on module top
1x bore hole for Netbox Point

Type C



Position: Left/right side on module top
2x bore holes for Netbox Point

Type D



Position: Left/right side on module top
2x bore holes for Netbox Move



Type E

Panel leg table


WINEA PLUS

Top thickness 1.3 cm


Table height: 94 cm
Top depth: 80 cm




Width 120,0 cm **WPBTS120080S02** **WPBTW120080S02**
 PG 01
 PG 02
 PG 03
 PG 04




Width 140,0 cm **WPBTS140080S02** **WPBTW140080S02**
 PG 01
 PG 02
 PG 03
 PG 04




Width 160,0 cm **WPBTS160080S02** **WPBTW160080S02**
 PG 01
 PG 02
 PG 03
 PG 04




Width 180,0 cm **WPBTS180080S02** **WPBTW180080S02**
 PG 01
 PG 02
 PG 03
 PG 04



Width 200,0 cm **WPBTS200080S02** **WPBTW200080S02**
 PG 01
 PG 02
 PG 03
 PG 04



Width 220,0 cm **WPBTS220080S02** **WPBTW220080S02**
 PG 01
 PG 02
 PG 03
 PG 04



Width 240,0 cm **WPBTS240080S02** **WPBTW240080S02**
 PG 01
 PG 02
 PG 03
 PG 04

¹ For cabinets with 13 mm back panel only

Panel leg table

WINEA PLUS

Add-on module for solitaire with desk height 94 cm for with wall connection - H:16 cm




Depth: 80 cm

Height: 16 cm


Width 120,0 cm	WPAU120080S06
PG 01	
PG 02	
Width 140,0 cm	WPAU140080S06
PG 01	
PG 02	
Width 160,0 cm	WPAU160080S06
PG 01	
PG 02	
Width 180,0 cm	WPAU180080S06
PG 01	
PG 02	
Width 200,0 cm	WPAU200080S06
PG 01	
PG 02	
Width 220,0 cm	WPAU220080S06
PG 01	
PG 02	
Width 240,0 cm	WPAU240080S06
PG 01	
PG 02	

Bore hole for netbox d = 8 cm




Position: Compartment centre
1x bore hole each side for Netbox Point

Type A




Position: Left/right side of compartment
2x bore holes each side for Netbox Point

Type B




Position: Centred on module top
1x bore hole for Netbox Point

Type C



Position: Left/right side on module top
2x bore holes for Netbox Point

Type D



Position: Left/right side on module top
2x bore holes for Netbox Move

Type E

Panel leg table




WINEA PLUS

Top thickness 1.3 cm

Solitaire

Wall connection¹

Table height: **74 cm**
 Top depth: **45 cm**




Width 120,0 cm

WPBTS120045S01

WPBTW120045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**




Width 140,0 cm

WPBTS140045S01

WPBTW140045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**




Width 160,0 cm

WPBTS160045S01

WPBTW160045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**




Width 180,0 cm

WPBTS180045S01

WPBTW180045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**




Width 200,0 cm

WPBTS200045S01

WPBTW200045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**




Width 220,0 cm

WPBTS220045S01

WPBTW220045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**



Width 240,0 cm

WPBTS240045S01

WPBTW240045S01

- PG 01**
- PG 02**
- PG 03**
- PG 04**

¹ For cabinets with 13 mm back panel only

Panel leg table

WINEA PLUS

Top thickness 1.3 cm

Solitaire

Wall connection¹





Table height: 74 cm

Top depth: 60 cm




Width 120,0 cm

WPBTS120060S01

WPBTW120060S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 140,0 cm

WPBTS140060S01

WPBTW140060S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 160,0 cm

WPBTS160060S01

WPBTW160060S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 180,0 cm

WPBTS180060S01

WPBTW180060S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 200,0 cm

WPBTS200060S01

WPBTW200060S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 220,0 cm

WPBTS220060S01

WPBTW220060S01

- PG 01
- PG 02
- PG 03
- PG 04



Width 240,0 cm

WPBTS240060S01

WPBTW240060S01

- PG 01
- PG 02
- PG 03
- PG 04

¹ For cabinets with 13 mm back panel only

Panel leg table

WINEA PLUS

Top thickness 1.3 cm

Solitaire

Wall connection¹





Table height: **74 cm**
 Top depth: **80 cm**




Width 120,0 cm

WPBTS120080S01

WPBTW120080S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 140,0 cm

WPBTS140080S01

WPBTW140080S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 160,0 cm

WPBTS160080S01

WPBTW160080S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 180,0 cm

WPBTS180080S01

WPBTW180080S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 200,0 cm

WPBTS200080S01

WPBTW200080S01

- PG 01
- PG 02
- PG 03
- PG 04




Width 220,0 cm

WPBTS220080S01

WPBTW220080S01

- PG 01
- PG 02
- PG 03
- PG 04



Width 240,0 cm

WPBTS240080S01

WPBTW240080S01

- PG 01
- PG 02
- PG 03
- PG 04

¹ For cabinets with 13 mm back panel only


Bench

WINEA PLUS

Top thickness 1.3 cm

Solitaire


Bench height: 50 cm
Bench depth: 45 cm



Width 120,0 cm

WPBTS120045S05


PG 01
PG 02
PG 03
PG 04



Width 140,0 cm

WPBTS140045S05


PG 01
PG 02
PG 03
PG 04



Width 160,0 cm

WPBTS160045S05


PG 01
PG 02
PG 03
PG 04



Width 180,0 cm

WPBTS180045S05


PG 01
PG 02
PG 03
PG 04



Width 200,0 cm

WPBTS200045S05


PG 01
PG 02
PG 03
PG 04



Width 220,0 cm

WPBTS220045S05

PG 01
PG 02
PG 03
PG 04




Width 240,0 cm

WPBTS240045S05

PG 01
PG 02
PG 03
PG 04

Foot rail



Aluminium white **W2**
Titanium white **TW**
Volcano black **MS**

For width 120,0 cm	WFR1200
PG 01	
For width 140,0 cm	WFR1400
PG 01	
r width 160,0 cm	WFR1600
PG 01	
For width 180,0 cm	WFR1800
PG 01	
For width 200,0 cm	WFR2000
PG 01	
For width 220,0 cm	WFR2200
PG 01	
For width 240,0 cm	WFR2400
PG 01	

Cushion

Depth: 45.0 cm
Width: 5.0 cm

Width 120,0 cm	WPSK120045
PG 01	
PG 02	
Width 140,0 cm	WPSK140045
PG 02	
Width 160,0 cm	WPSK160045
PG 01	
PG 02	
Width 180,0 cm	WPSK180045
PG 01	
PG 02	
Width 200,0 cm	WPSK200045
PG 01	
PG 02	
Width 220,0 cm	WPSK220045
PG 01	
PG 02	
Width 240,0 cm	WPSK240045
PG 01	
PG 02	

Power and data management



Netbox POINT
1 x 230 Volt Schuko, 1 x USB connector, 1 x RJ45 connector, 3 m Zuleitung 230 Volt silver coloured housing, black socket

OY POINTT03




Netbox MOVE
2 x 230 Volt Schuko, 2 x USB connector, 1.8 m power supply cable 230 Volt integrated into desktop


OY ZTI5405

Built-in box for drill hole d = 8.0 cm

Built-in positions for Netbox POINT




left/right



centre

Built-in position for Netbox Move



left/right

Safety guidelines for energy distribution at the work place

1. Standard, directives and guide lines,

which apply for power supply at the workplace.

(Standards: DIN VDE 0603 / DIN VDE 0620 / DIN VDE 0471)

Socket bars, plug connectors and further electric operating systems which are passed or installed into the furnishing (cable channels, hollow spaces) must, for fire security reasons, match the filament test up to 850°C.

Step by step, the following tests must be implemented:

- High tension test with 2000 volt
- Isolation test
- Functional test (continuity test, Resistance test etc.)

2. Wires and cables

(Standards: DIN VDE 0627)

Power cords and internal connection wires must be flexible and three-conductor cables. The section of the copper connection must average at least 1,5 mm². The net connecting cable and the internal wires must have a double or a fortified insulation, consisting of basis insulation and an additional insulation (or equal). The exterior coating must consist of flame resisting synthetics.

To ensure a safe connection to the electrical installations of the building, the power cord must have a plug according to IEC 83 and test with a nominal current up to 16 A and a nominal voltage of 250 V~.

The power cord must be firmly fitted into the strain relief of the desk legs.

3. Protection against electric shock (Earthing)

(Standards: DIN EN 60355 / DIN VDE 0100)

Electric operating systems must be connected to the earth of the building, which occurs through the earth clip of the power cord plug.

An additional grounding of the socket bar with the furniture by means of an extra strand (green/yellow) is optional.

4. Cable connectors

(Standards: DIN VDE 0627)

Cable connectors for interior connections must be equipped with a detachable mechanical lock (jiggle-proof) to prevent unintentional dismantling when operated in the position.

5. Installation

(Standards: DIN EN 60355)

Socket bars must be reliably fixed and positioned in a way that the plug connectors can be easily plugged as well as unplugged. Plug connector and socket bars must furthermore be positioned in a way, that, in when using the furniture according to the instructions, no liquids can access any part of the electric systems.

The power cord must be firmly fitted into the strain relief of the desk legs.

Connecting cables may be passed loosely.

All wires and cables must be passed in a way that there is no danger of buckling, scratching or other mechanical damages.

Special care is demanded for desks which are equipped with height adjustable working surfaces.

The cable lengths must be sufficiently long to avoid any stretching or distortion of the cables while moving the desktop.

WINI Büromöbel
Georg Schmidt GmbH & Co. KG

Auhagenstraße 79
31863 Coppenbrügge, OT Marienau
Germany

Telefon: +49(0)5156/979-0
Telefax: +49(0)5156/979-100

E-Mail: info@wini.de
Internet: www.wini.de